MATER	IAL SAFE	ТҮ DАТА	SHEE		ge 1	
24-hour Emergency Phon PRODUCT CODE: 5645	e: (800)255-3924				.gc 1	
PRODUCT NAME: REFRE PRODUCT CODE: 5645	ESH	Н	MIS CODES			R P 0 A
	W	HMIS CLASS: No	ot a Contr	olled F	roduc	+
======= SE						-
			IT ICATION			
	136 Kingston Cou Arietta, GA 300	rt				
INFORMATION PHONE : (770)424-7550		DATE	PRINTED	: 1/1	5/2008
<pre>PREPARED BY: LARRY E. REVISION DATE: 02/18/2</pre>		OF TECHNICAL S	SERVICES			
======= SECTION II	- HAZARDOUS II	NGREDIENTS/SAR	RA III INF	ORMATIC)N ==	
REPORTABLE COMPONENTS		CAS NUMBER	PEI.	ΨT.V		IEIGHT PERCENT
CALCITE CRYSTALS		1317-65-3	15mg/m3	3 15mg	/m3	>90%
VAPOR DENSITY: N DENSITY: N SOLUBILITY IN WATER:	IA ID ID INSOLUBLE.	SPECIFIC GRA EVAPORATION MATERIAL V.C PH	AVITY (H2O RATE: NE D.C.: NE (Concentr	=1): N	D	
BOILING RANGE: N VAPOR DENSITY: N DENSITY: N SOLUBILITY IN WATER: APPEARANCE AND ODOR: ODOR: FRESH FRAGRANCE	IA ID INSOLUBLE. CRYSTALLINE SO:	SPECIFIC GRA EVAPORATION MATERIAL V.C pH LID.	AVITY (H2O RATE: NE D.C.: NE (Concentr pH (Dilu	=1): N	D IA ID	
BOILING RANGE: N VAPOR DENSITY: N DENSITY: N SOLUBILITY IN WATER: APPEARANCE AND ODOR: ODOR: FRESH FRAGRANCE ====== SEC	IA ID ID CRYSTALLINE SO TION IV - FIRE	SPECIFIC GRA EVAPORATION MATERIAL V.C PH LID. AND EXPLOSION	AVITY (H2O RATE: NE D.C.: NE (Concentr pH (Dilu	=1): N	D IA ID	
BOILING RANGE: N VAPOR DENSITY: N DENSITY: N SOLUBILITY IN WATER: APPEARANCE AND ODOR: ODOR: FRESH FRAGRANCE =========== SEC OSHA FLAMMABILITY CLAS FLASH POINT: NONE	IA ID ID CRYSTALLINE SO: CRYSTALLINE SO: CRYST	SPECIFIC GRA EVAPORATION MATERIAL V.C pH LID. AND EXPLOSION REGULATED METH	AVITY (H2O RATE: NE D.C.: NE (Concentr pH (Dilu	=1): N) ate): N ted): N ATA ==	D IA ID	
BOILING RANGE: N VAPOR DENSITY: N DENSITY: N SOLUBILITY IN WATER: APPEARANCE AND ODOR: ODOR: FRESH FRAGRANCE ======= SEC OSHA FLAMMABILITY CLAS FLASH POINT: NONE	IA ID ID CRYSTALLINE SO: CRYSTALLINE SO: CRYST	SPECIFIC GRA EVAPORATION MATERIAL V.C pH LID. AND EXPLOSION REGULATED METH	AVITY (H2O RATE: ND D.C.: ND (Concentr pH (Dilu N HAZARD D.	=1): N) ate): N ted): N ATA ==	D IA ID	
BOILING RANGE: N VAPOR DENSITY: N DENSITY: N SOLUBILITY IN WATER: APPEARANCE AND ODOR: ODOR: FRESH FRAGRANCE ======= SEC OSHA FLAMMABILITY CLAS FLAMMABLE LIMITS IN AI	IA ID ID INSOLUBLE. CRYSTALLINE SO IN INTION IV - FIRE SIFICATION: NOT IN IN BY VOLUME- LOW	SPECIFIC GRA EVAPORATION MATERIAL V.C pH LID. AND EXPLOSION REGULATED METH ER: ND	AVITY (H2O RATE: NE D.C.: NE (Concentr pH (Dilu N HAZARD D. HOD USED: UPPER: ND	=1): N) ate): N ted): N ATA ==	D IA ID	
BOILING RANGE: N VAPOR DENSITY: N DENSITY: N SOLUBILITY IN WATER: APPEARANCE AND ODOR: ODOR: FRESH FRAGRANCE ====================================	IA ID ID INSOLUBLE. CRYSTALLINE SO TION IV - FIRE SSIFICATION: NOT I R BY VOLUME- LOW MANY. This product	SPECIFIC GRA EVAPORATION MATERIAL V.C pH LID. AND EXPLOSION REGULATED METH ER: ND	AVITY (H2O RATE: NE D.C.: NE (Concentr pH (Dilu N HAZARD D. HOD USED: UPPER: ND	=1): N) ate): N ted): N ATA ==	D IA ID	
BOILING RANGE: N VAPOR DENSITY: N DENSITY: N SOLUBILITY IN WATER: APPEARANCE AND ODOR: ODOR: FRESH FRAGRANCE =============== SEC OSHA FLAMMABILITY CLAS FLASH POINT: NONE FLAMMABLE LIMITS IN AI EXTINGUISHING MEDIA: A SPECIAL FIREFIGHTING P	IA ID INSOLUBLE. CRYSTALLINE SO TION IV - FIRE SSIFICATION: NOT I R BY VOLUME- LOW MAY. This product PROCEDURES: None.	SPECIFIC GRA EVAPORATION MATERIAL V.C pH LID. AND EXPLOSION REGULATED METH ER: ND will not supp	AVITY (H2O RATE: NE D.C.: NE (Concentr pH (Dilu N HAZARD D. HOD USED: UPPER: ND	=1): N) ate): N ted): N ATA ==	D IA ID	
BOILING RANGE: N VAPOR DENSITY: N DENSITY: N SOLUBILITY IN WATER: APPEARANCE AND ODOR: ODOR: FRESH FRAGRANCE =============== SEC OSHA FLAMMABILITY CLAS FLASH POINT: NONE FLAMMABLE LIMITS IN AI EXTINGUISHING MEDIA: A SPECIAL FIREFIGHTING P	IA ID INSOLUBLE. CRYSTALLINE SO TION IV - FIRE SIFICATION: NOT I R BY VOLUME- LOW ANY. This product PROCEDURES: None. SION HAZARDS: Not	SPECIFIC GRA EVAPORATION MATERIAL V.C pH LID. AND EXPLOSION REGULATED ER: ND will not supp ne.	AVITY (H2O RATE: NE D.C.: NE (Concentr pH (Dilu N HAZARD D. HOD USED: UPPER: ND	=1): N () () () () () () () () () () () () ()	D IA ID	
BOILING RANGE: N VAPOR DENSITY: N DENSITY: N SOLUBILITY IN WATER: APPEARANCE AND ODOR: ODOR: FRESH FRAGRANCE ===================================	IA ID INSOLUBLE. CRYSTALLINE SO STION IV - FIRE SIFICATION: NOT IN R BY VOLUME- LOWN MAY. This product PROCEDURES: None. SION HAZARDS: None. SION HAZARDS: None.	SPECIFIC GRA EVAPORATION MATERIAL V.C pH LID. AND EXPLOSION REGULATED ER: ND will not supp ne. - REACTIVITY	AVITY (H2O RATE: NE D.C.: NE (Concentr pH (Dilu N HAZARD D HOD USED: UPPER: ND DOTT COMBU	=1): N () () () () () () () () () () () () ()	D IA ID	
BOILING RANGE: N VAPOR DENSITY: N DENSITY: N SOLUBILITY IN WATER: APPEARANCE AND ODOR: ODOR: FRESH FRAGRANCE ====================================	IA ID ID INSOLUBLE. CRYSTALLINE SO STION IV - FIRE SIFICATION: NOT D R BY VOLUME- LOW MAY. This product PROCEDURES: None. SION HAZARDS: Non SION HAZARDS: Non SION HAZARDS: Non SION HAZARDS: Non SION HAZARDS: Non SION HAZARDS: Non SION HAZARDS: Non	SPECIFIC GRA EVAPORATION MATERIAL V.C pH LID. AND EXPLOSION REGULATED ER: ND will not supp ne. - REACTIVITY	AVITY (H2O RATE: NE D.C.: NE (Concentr pH (Dilu N HAZARD D HOD USED: UPPER: ND DOTT COMBU	=1): N () () () () () () () () () () () () ()	D IA ID	
BOILING RANGE: N VAPOR DENSITY: N DENSITY: N SOLUBILITY IN WATER: APPEARANCE AND ODOR: ODOR: FRESH FRAGRANCE ===================================	IA ID INSOLUBLE. CRYSTALLINE SO TION IV - FIRE SIFICATION: NOT I R BY VOLUME- LOW MAY. This product PROCEDURES: None. SION HAZARDS: Non SION HAZARDS: Non	SPECIFIC GRA EVAPORATION MATERIAL V.C pH LID. AND EXPLOSION REGULATED METH ER: ND will not supp ne. - REACTIVITY mal conditions	AVITY (H2O RATE: NE D.C.: NE (Concentr pH (Dilu N HAZARD D. HOD USED: UPPER: ND DOTT COMBU	<pre>=1): N ate): N ted): N ATA == NA stion.</pre>	D IA ID	
BOILING RANGE: N VAPOR DENSITY: N DENSITY: N SOLUBILITY IN WATER: APPEARANCE AND ODOR: ODOR: FRESH FRAGRANCE ====================================	INSOLUBLE. CRYSTALLINE SOLUTION IV - FIRE SIFICATION: NOT IN THIS PRODUME - LOWN ANY. This product PROCEDURES: None. SION HAZARDS: None SION HAZARDS: None Stable under norm fone known.	SPECIFIC GRA EVAPORATION MATERIAL V.C pH LID. AND EXPLOSION REGULATED METH ER: ND will not supp ne. - REACTIVITY mal conditions Acids, strong	AVITY (H2O RATE: NE D.C.: NE (Concentr pH (Dilu N HAZARD D. HOD USED: UPPER: ND DOTT COMBU	<pre>=1): N ate): N ted): N ATA == NA stion.</pre>	D IA ID	

Page 2

24-hour Emergency Phone: (800)255-3924 **PRODUCT CODE:** 5645

 PRIMARY ROUTES OF ENTRY:
 Inhalation X
 Eye Contact X

 Skin Contact X
 Ingestion

EXPOSURE LIMIT: Refer to Section II for PEL / TLV exposure limits.

ACUTE EFFECTS OF OVEREXPOSURE

INHALATION: Inhalation of dust particles can cause irritation of nasal and respiratory passages.

EYE CONTACT: Dust should be considered slight to moderately irritating.

SKIN CONTACT: May cause skin irritation on repeated or prolonged contact.

SKIN ABSORBTION: No evidence of adverse effects from available information.

INGESTION: Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea. Aspiration of product into lungs can cause chemical pneumonia.

CHRONIC EFFECTS OF OVEREXPOSURE: There are no known chronic effects from this product.

CARCINOGENICITY: NTP CARCINOGEN: IARC MONOGRAPHS: OSHA REGULATED:

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY OVEREXPOSURE: No additional effects of overexposure to this material can be found from available information.

EMERGENCY AND FIRST AID PROCEDURES

INHALATION: If affected, move person to fresh air. If difficulty with breathing occurs, consult a physician.

EYE CONTACT: Immediately flush eyes with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately.

SKIN CONTACT: Wash exposed area thoroughly with soap and water. Consult a physician if irritation develops.

INGESTION: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Stop source of spill. Sweep solid material into a suitable container and dispose of in a manner consistant with applicable regulations.

WASTE DISPOSAL METHOD: Dispose of in accordance with applicable Federal, State, and local regulations. Under RCRA regulations, it is the responsibility of the product user to determine, at the time of disposal, whether a material is hazardous.

24-hour Emergency Phone: (800)255-3924 **PRODUCT CODE:** 5645

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Do not store above 120 F. Keep closure tight and container upright to prevent leakage. Store drum out of sunlight and away from heat, sparks, or flame. Store only in well-ventilated areas.

OTHER PRECAUTIONS: Follow label instructions. KEEP OUT OF REACH OF CHILDREN.

RESPIRATORY PROTECTION: None required in excess of normal ventilation.

VENTILATION: Local mechanical exhaust to provide normal ventilation.

PROTECTIVE GLOVES: For prolonged contact wear impervious gloves.

EYE PROTECTION: Safety eyewear designed to protect against dust and aerosol size particles are recommended.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None required.

WORK/HYGIENIC PRACTICES: Wash thoroughly after handling.

TOXIC SUBSTANCES CONTROL ACT (TSCA): All chemical components in this product are listed on the TSCA Inventory List, or are exempt from listing.

SARA Section 312 HAZARD CATEGORIES: Fire Hazard Reactivity Hazard

Acute Health Hazard X Chronic Health Hazard Pressure Hazard

SARA Section 313 REPORTABLE COMPONENTS: (See Section II, If Applicable)

DOT SHIPPING NAME: Dry

DOT HAZARD CLASS: Not Applicable

UN NUMBER: Not Applicable

DOT PACKING GROUP: Not Applicable

SPECIAL SHIPPING INFORMATION: Not Applicable

The information on this Material Safety Data Sheet represents our current available data and best opinion as to the proper handling in use of this product under normal conditions. Any use of this product which is not in conformance with this Data Sheet or which involves using this product in combination with other materials, or processes is the sole responsibility of the user.