MATERIAL SAFETY DATA SHEET



ODITEIDE DTU DOWED OLEANED

| SPITFIRE RTU POWER CLEANER | | | | | | |
|--|---|---|--|--|--|--|
| HMIS NFPA Personal protective equipment | | | | | | |
| Health 2 | 2 | ma Shin | | | | |
| Fire Hazard 0 | 0 | | | | | |
| Reactivity 0 | 0 | | | | | |
| Version Number: 1 | /ersion Number: 1 Preparation date: 2006-06 | | | | | |
| | 1. PRO | DUCT AND COMPANY IDENTIFICATION | | | | |
| Product name: | SPITFIRE | E RTU POWER CLEANER | | | | |
| MSDS #: Product code: Recommended use: | Product code: 113702, 113702002, 113702X, 03724, 03722, 03702 | | | | | |
| Manufacturer, importer, supplier:US HeadquartersCanadian HeadquartersJohnsonDiversey, Inc.JohnsonDiversey - Canada, Inc.8310 16th St.2401 Bristol CircleSturtevant, Wisconsin 53177-0902Oakville, Ontario L6H 6P1Phone: 1-888-352-2249Phone: 1-800-668-3131MSDS Internet Address:www.johnsondiversey.com | | isonDiversey - Canada, Inc. Bristol Circle <i>v</i> ille, Ontario L6H 6P1 | | | | |
| Emergency telephone number: 1-800-851-7145 (Prosar); 1-6 | | 1-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México) | | | | |
| 2. HAZARDS IDENTIFICATION | | | | | | |
| EMERGENCY OVERVIEW WARNING. CAUSES EYE AND SKIN IRRITATION. Principle routes of exposure: Eye contact. Skin contact. Inhalation. Eye contact: Severe eye irritation. Skin contact: Moderately irritating to the skin. Inhalation: May be irritating to nose, throat, and respiratory tract. Ingestion: May cause irritation to mouth, throat and stomach . | | | | | | |
| | 2 00400 | SITION/INFORMATION ON INCREDIENTS | | | | |

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

| Ingredient(s) | CAS # | Weight % | LD50 Oral - Rat | LD50 Dermal - Rabbit | LC50 Inhalation - Rat |
|------------------|----------|----------|-----------------|-------------------------|------------------------------------|
| Monoethanolamine | 141-43-5 | 1 - 5% | = 1720 mg/kg | = 1 mL/kg | Not available |
| 2-butoxyethanol | 111-76-2 | 5 - 10% | = 470 mg/kg | = 220 mg/kg | = 2.21 mg/L (4h) = 450 ppm (4h) |

| 4. FIRST AID MEASURES | | |
|---|---|--|
| Eye contact: | Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention. | |
| Skin contact: | Flush immediately with plenty of water. If irritation persists, get medical attention. | |
| Inhalation: | If breathing is affected, remove to fresh air. Get medical attention. | |
| Ingestion: Give a cupful of water or milk . THEN IMMEDIATELY CONTACT A PHYSICIAN OR PC DO NOT induce vomiting unless directed to do so by medical personnel. Never give an an unconscious person. | | |
| Aggravated Medical Conditions: | Persons with pre-existing skin disorders may be more susceptable to irritating effects. | |
| | 5. FIRE-FIGHTING MEASURES | |
| Suitable extinguishing media: Specific hazards: | The product is not flammable. Extinguish fire using agent suitable for surrounding fire . Not applicable | |

Unusual hazards: None known Specific methods: No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

5. FIRE-FIGHTING MEASURES

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Environmental precautions and clean-up methods: Use personal protective equipment Clean-up methods - large spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. **Storage:**

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF THE REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

Eye protection: Hand protection: Skin and body protection: Respiratory protection: Hygiene measures: Chemical splash goggles. Chemical resistant gloves No special protective clothing is required. No special protective clothing is required. Handle in accordance with good industrial hygiene and safety practice

| Ingredient(s) | CAS # | ACGIH | OSHA | Mexico |
|------------------|----------|--------------|-----------------------------|------------------------------|
| Monoethanolamine | 141-43-5 | 6 ppm (STEL) | 3 ppm (TWA) | 15 mg/m ³ (STEL) |
| | | 3 ppm (TWA) | 6 mg/m ³ (TWA) | 6 ppm (STEL) |
| | | | | 3 ppm (TWA) |
| | | | | 8 mg/m³ (TWA) |
| 2-butoxyethanol | 111-76-2 | 20 ppm (TWA) | Skin | 75 ppm (STEL) |
| | | | 240 mg/m ³ (TWA) | 360 mg/m ³ (STEL) |
| | | | 50 ppm (TWA) | 120 mg/m ³ (TWA) |
| | | | | 26 ppm (TWA) |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical State: | Liquid | Bulk density: | No information available |
|-------------------|--------------------------|------------------------------------|----------------------------------|
| pH: | 12.0 | Dilution pH: | 12.0 |
| Appearance: | Liquid | Vapor density: | No information available |
| Color: | Clear Red | Evaporation Rate | No information available |
| Odor: | Fresh | Boiling point/range: | Not determined |
| Specific gravity: | 1.02 | Melting point/range: | Not determined |
| Density: | 8.50 lbs/gal | Decomposition temperature: | Not determined |
| VOC: | 9.9% * | Autoignition temperature: | No information available |
| Flash point: | >200 (°F) >93.3 (°C) | Partition coefficient (n-octanol/w | vater): No information available |
| Solubility: | Easily soluble | Solubility in other solvents: | No information available |
| Viscosity: | No information available | Elemental Phosphorus: | 0 %P |

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability: Polymerization: Hazardous decomposition products:

The product is stable. Hazardous polymerization does not occur. None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

| Acute toxicity Component Information: | Oral LD50 estimated to be greater than 5000 mg/kg See Section 3 |
|--|---|
| Chronic toxicity: | None known |

11. TOXICOLOGICAL INFORMATION

Specific effects

Carcinogenic effects: Mutagenic effects: Reproductive toxicity: Target organ effects: None known None known None known None known

12. ECOLOGICAL INFORMATION

Environmental Information:

No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), China (IECSC).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

| Ingredient(s) | CAS # | MARTK: | NJRTK: | PARTK: | RIRTK: |
|--------------------------|-----------|--------|--------|--------|--------|
| Monoethanolamine | 141-43-5 | Х | Х | Х | Х |
| Water | 7732-18-5 | - | - | - | - |
| Tetrasodium salt of EDTA | 64-02-8 | - | - | - | - |
| Sodium xylene sulfonate | 1300-72-7 | - | - | - | - |
| 2-butoxyethanol | 111-76-2 | Х | Х | Х | Х |

CERCLA/ SARA

| Ingredient(s) | CAS # | Weight % | CERCLA/SARA RQ (lbs) | Section 302 TPQ (lbs) | Section 313 |
|-----------------|----------|----------|----------------------|-----------------------|-------------|
| 2-butoxyethanol | 111-76-2 | 5 - 10% | | | Х |

SARA 311/312 Hazard Categories

Immediate:

Canada

WHMIS hazard class: D2B Toxic materials .



| Ingredient(s) | CAS # | NPRI |
|-----------------|----------|------|
| 2-butoxyethanol | 111-76-2 | Х |

16. OTHER INFORMATION

Reason for revision: Prepared by: Additional advice: Not applicable NAPRAC None

Y

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.