

Issue Date 29-Oct-2004

, d.

Revision Date 3-Mar-2015

Version 1

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier Product Name	Wipe Out		
Other Means of Identification SDS #	DCI-030		
UN/ID No	UN3266		
Recommended Use of the Chemical and Restrictions on Use			
Recommended Use	Graffiti remover.		
Details of the Supplier of the Safety	Details of the Supplier of the Safety Data Sheet		
Supplier Address			
Dumond Chemicals, Inc.			
83 General Warren Blvd Suite 190			
Malvern, PA 19355			
Emergency Telephone Number			
Company Phone Number	1-609-655-7700		
Emergency Telephone	INFOTRAC 1-352-323-3500 (International)		
	1-800-535-5053 (North America)		
2. HAZARDS IDENTIFICATION			

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Signal Word Danger

Hazard Statements

Harmful if swallowed Harmful if inhaled Causes severe skin burns and eye damage May cause respiratory irritation. May cause drowsiness or dizziness

Odor Slight almond odor



 Appearance
 White paste
 Physical State
 Paste

 Precautionary Statements - Prevention
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Use only outdoors or in a well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray

 Wear protective gloves/protective clothing/eye protection/face protection
 Paste
 Physical State
 Paste

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

Other Hazards

Harmful to aquatic life with long lasting effects Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Potassium hydroxide	1310-58-3	15-25
Monoethanolamine	141-43-5	10-30

Chemical Additions

Contains 1-5% dibasic ester, which is a mixture of dimethyl glutarate (CAS# 1119-40-0) and dimethyl adipate (CAS# 627-93-0)

4. FIRST AID MEASURES

First Aid Measures

Inhalation

1

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if necessary.

DCI-030 - Wipe Out	Revision Date 3-Mar-2015
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get immediate medical advice/attention.
Ingestion	Never give anything by mouth to an unconscious person. Get medical attention if necessary. Do NOT induce vomiting. If conscious give 1 glass of water to dilute.
Skin Contact	Get medical attention immediately. Wash thoroughly with soap and water (15-30 minutes) until no traces of the chemical remain. Remove and wash contaminated clothing before reuse.
Most Important Symptoms	and Effects, both Acute and Delayed
Symptoms	Mists and vapors cause irritation of the eyes, mucous membranes, and upper respiratory tract. Exposed individuals may experience eye tearing, redness, and discomfort. Contact may cause irritation and redness. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.
Indication of any Immediate	e Medical Attention and Special Treatment Needed
Note to Physicians	Treat symptomatically. Individuals with chronic respiratory or skin diseases may be at risk from exposure.
	5. FIRE-FIGHTING MEASURES

L

Suitable Extinguishing Media

Alcohol resistant foam, carbon dioxide, or dry chemical.

Unsuitable Extinguishing Media Water or foam may cause frothing.

Specific Hazards Arising from the Chemical

Decomposition may be hazardous. At elevated temperatures, containers may rupture. Cool containers exposed to flames with water until well after the fire is out.

Hazardous combustion productsCarbon oxides. Nitrogen oxides (NOx).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES	
Personal Precautions, Protective Equipment and Emergency Procedures		
Personal Precautions	Evacuate personnel to safe areas. Use personal protective equipment as required.	
Environmental Precautions	See Section 12 for additional ecological information. Do not allow into any sewer, on the ground or into any body of water.	
Methods and Material for Contai	inment and Cleaning Up	
Methods for Containment	Prevent further leakage or spillage if safe to do so. Dike spill and collect into closable containers for disposal with an inert absorbent. Neutralize residue with dilute acetic acid.	
Methods for Cleaning Up	Wash spill area with plenty of water. Place in appropriate containers for disposal. Spills and releases may have to be reported to Federal and/or local authorities. See section 15.	
	7. HANDLING AND STORAGE	

Slight almond odor

Not determined

ļ

Precautions for Safe Handling	
Advice on Safe Handling	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling before eating, drinking, smoking, or using toilet facilities. Since empty container retains residue, follow all label warnings even after container is empty. Do not eat, drink or smoke when using this product. Use only in well-ventilated areas.
Conditions for Safe Storage, In	ncluding any Incompatibilities
Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Store away from incompatible materials. Store locked up.
Incompatible Materials	May react with some metals. Strong oxidizing agents. Strong acids.

Ŧ

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Monoethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m ³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m ³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m ³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³

Appropriate Engineering Controls

Engineering Controls For operations where contact can occur, a safety shower and an eye wash facility should be available. Ensure adequate ventilation, especially in confined areas. Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection	Chemical safety goggles/faceshield.
Skin and Body Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Viton or other impervious gloves are required.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas. For spray application, a NIOSH approved organic vapor respirator with N95 particulate filter.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

Information on Basic Physical and Chemical Properties

Physical State Appearance Color	Paste White paste White	Odor Odor threshold
<u>Property</u> pH Melting point/freezing point Boiling point/boiling range	<u>Values</u> 11 Not determined 101.7 °C / 215 °F	<u>Remarks • Method</u>

DCI-030 - Wipe Out

Flash point Evaporation	None	
rate Flammability (solid,	Not available	
gas) Flammability limits	Not determined	
in air		
Upper flammability limits	Not determined	
Lower flammability limit	Not determined	
Vapor pressure	Not available	
Vapor density	>1	(Air=1)
Specific gravity	1.07-1.15	
Water solubility	Miscible in water Completely soluble	
Solubility in other solvents	Not determined	
Partition coefficient	Not determined	
Autoignition temperature	Not available	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic viscosity	Not determined	
Explosive properties	Not determined	
Oxidizing Properties	Not determined	
Other Information		
VOC Content (%)	< 5%	
VOC Content	< 0.46 lbs/gal	
	10. STABILITY AND REA	CTIVITY

Reactivity

Not reactive under normal conditions

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

May react with some metals. Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products

May oxidize with air to form benzaldehyde and benzoic acid. Ammonia. potassium oxides. Nitrogen oxides (NOx). Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

•..

Inhalation	Harmful if inhaled.
Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns. May be harmful in contact with skin.
ingestion	Harmful if swallowed.
Component Information	

Ľ

Ł

1

١.

| · | **|**

1

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Potassium hydroxide 1310-58-3	= 214 mg/kg (Rat)	-	•
Nonoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg(Rabbit)= 1025 mg/kg (Rabbit)	-
Dimethyl Adipate 627-93-0	= 1920 mg/kg (Rat)	-	-
Dimethyl Glutarate 1119-40-0	= 8191 mg/kg (Rat)	-	> 5.6 mg/L (Rat) 4 h

Information on Physical, Chemical and Toxicological Effects

 Symptoms
 Eyes: vapors or mists may cause irritation with redness, tearing, and blurring of the eyes.

 Eye damage may occur, especially if contact is prolonged. Skin: May cause severe irritation with redness and burning of the skin. Prolonged contact may cause destruction of skin tissues. Inhalation: vapors or mists may cause severe irritation or burns to the eyes, mucous membranes, and upper respiratory tract. Ingestion: may cause gastrointestinal irritation, abdominal pain, nausea, and vomiting.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
STOT - single exposure	May cause respiratory irritation. May cause drowsiness or dizziness.
Chronic toxicity	Prolonged or repeated contact with dilute solutions may cause dermatitis, low blood pressure, respiratory, and muscular paralysis, convulsions, and damage to the central nervous system, lungs, liver, and kidneys. Individuals with chronic eye, skin and respiratory disorders may be at an increased risk from expose to this material.

Numerical Measures of Toxicity- Product Not determined

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	752 mg/kg
ATEmix (dermal)	3080 mg/kg
ATEmix (inhalation-dust/mist)	4.2 mg/l
ATEmix (inhalation-vapor)	106.4 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Potassium hydroxide 1310-58-3		80: 96 h Gambusia affinis mg/L LC50 static		

DCI-030 - Wipe Out

Revision Date 3-Mar-2015

۰.

į.

Monoethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h	65: 48 h Daphnia magna mg/L EC50
Dimethyl Glutarate 1119-40-0		LC50 flow-through 19.6 - 26.2: 96 h Pimephales promelas mg/L LC50 static	 122.1 - 163.5: 48 h Daphnia magna mg/L EC50

Persistence and Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined.

Chemical Name	Partition coefficient
Potassium hydroxide	0.65
1310-58-3	0.83
Monoethanolamine	-1.91
141-43-5	

Other Adverse Effects

Not determined

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical Name	California Hazardous Waste Status
Potassium hydroxide	Toxic
1310-58-3	Corrosive

14. TRANSPORT INFORMATION

Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances
<u>DOT</u> UN/ID No Proper Shipping Name Hazard Class Packing Group	UN3266 Corrosive liquid, basic, inorganic, n.o.s. 8 II
IATA UN/ID No Proper Shipping Name	UN3266 Corrosive liquid, basic, inorganic, n.o.s.

Hazard Class	8
Packing Group	II
IDG	
UN/ID No	UN3266
Proper Shipping Name	Corrosive liquid, basic, inorganic, n.o.s.
Hazard Class	8
Packing Group	11

15. REGULATORY INFORMATION

International Inventories

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - Chine Inventory of Existing Chemical Substances KECL -Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 311/312 Hazard Categories

Chemical Name	CWA - Reportable Quantities	CWA - Toxic	Pollutants	CWA - Priority Po	llutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3	1000 lb					x
Chemical Name	Hazardous Subst	ances RQs	CERC	LA/SARA RQ	Re	portable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb)				RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide 1310-58-3	X	x	X
Monoethanolamine 141-43-5	X	x	X

U.S. EPA Label Information

16: OTHER INFORMATION				
NFPA	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
<u>HMIS</u>	Health Hazards 2	Flammability 1	Physical Hazards 0	Personal Protection Not determined
Issue Date Revision Date Revision Note	29-Oct-2004 12-Dec-2012 New format			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet